# **SAFETY DATA SHEET**

Version 5.11 Revision Date 05/23/2016 Print Date 05/28/2016

## 1. PRODUCT AND COMPANY IDENTIFICATION

1.1 Product identifiers

Product name : Glutaraldehyde solution

Product Number : G5882

Brand : Sigma-Aldrich

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich

3050 Spruce Street

SAINT LOUIS MO 63103

USA

Telephone : +1 800-325-5832 Fax : +1 800-325-5052

1.4 Emergency telephone number

Emergency Phone # : (314) 776-6555

#### 2. HAZARDS IDENTIFICATION

## 2.1 Classification of the substance or mixture

## GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Acute toxicity, Oral (Category 4), H302

Acute toxicity, Inhalation (Category 4), H332

Skin corrosion (Category 1B), H314 Serious eye damage (Category 1), H318

Sellous eye damage (Category 1), no 16

Respiratory sensitisation (Category 1), H334

Skin sensitisation (Category 1), H317

Acute aquatic toxicity (Category 1), H400

Chronic aquatic toxicity (Category 2), H411

For the full text of the H-Statements mentioned in this Section, see Section 16.

## 2.2 GHS Label elements, including precautionary statements

Pictogram



Signal word Danger

Hazard statement(s)

H302 + H332 Harmful if swallowed or if inhaled

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction. H318 Causes serious eye damage.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H400 Very toxic to aquatic life.

H411 Toxic to aquatic life with long lasting effects.

Sigma-Aldrich - G5882 Page 1 of 11

Precautionary statement(s)	
P261	Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.
P264	Wash skin thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P271	Use only outdoors or in a well-ventilated area.
P272	Contaminated work clothing should not be allowed out of the workplace.
P273	Avoid release to the environment.
P280	Wear protective gloves/ protective clothing/ eye protection/ face protection.
P285	In case of inadequate ventilation wear respiratory protection.
P301 + P312 + P330	IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.
	Rinse mouth.
P301 + P330 + P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303 + P361 + P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P304 + P340 + P310	IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/doctor.
P305 + P351 + P338 + P310	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.
P333 + P313	If skin irritation or rash occurs: Get medical advice/ attention.
P342 + P311	If experiencing respiratory symptoms: Call a POISON CENTER/doctor.
P363	Wash contaminated clothing before reuse.
P391	Collect spillage.
P405	Store locked up.
P501	Dispose of contents/ container to an approved waste disposal plant.

## 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

## 3.2 Mixtures

Synonyms : Glutaric dialdehyde solution

Gluteraldehyde Pentane-1,5-dial

Formula :  $C_5H_8O_2$ Molecular weight : 100.12 g/mol

**Hazardous components** 

Component		Classification	Concentration
Glutaral			
CAS-No. EC-No. Index-No.	111-30-8 203-856-5 605-022-00-X	Flam. Liq. 4; Acute Tox. 3; Skin Corr. 1B; Eye Dam. 1; Resp. Sens. 1; Skin Sens. 1; Aquatic Acute 1; Aquatic Chronic 2; H227, H301 + H331, H314, H317, H318, H334, H400, H411	>= 20 - < 30 %
Methanol			
CAS-No.	67-56-1	Flam. Liq. 2; Acute Tox. 3;	>= 0.1 - < 1 %
EC-No.	200-659-6	STOT SE 1; H225, H301 +	
Index-No.	603-001-00-X	H311 + H331, H370	
Registration number	01-2119433307-44-XXXX		

For the full text of the H-Statements mentioned in this Section, see Section 16.

Sigma-Aldrich - G5882 Page 2 of 11

#### 4. FIRST AID MEASURES

#### 4.1 Description of first aid measures

#### General advice

Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.

#### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

#### In case of skin contact

Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. Consult a physician.

#### In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. Continue rinsing eyes during transport to hospital.

#### If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

## 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

## 4.3 Indication of any immediate medical attention and special treatment needed

No data available

#### 5. FIREFIGHTING MEASURES

## 5.1 Extinguishing media

## Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

## 5.2 Special hazards arising from the substance or mixture

No data available

## 5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

#### 5.4 Further information

No data available

## 6. ACCIDENTAL RELEASE MEASURES

#### 6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas.

For personal protection see section 8.

## 6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

### 6.3 Methods and materials for containment and cleaning up

Soak up with inert absorbent material and dispose of as hazardous waste. Keep in suitable, closed containers for disposal.

### 6.4 Reference to other sections

For disposal see section 13.

#### 7. HANDLING AND STORAGE

#### 7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist.

For precautions see section 2.2.

Sigma-Aldrich - G5882 Page 3 of 11

## 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Recommended storage temperature -20 °C

Store under inert gas. Air sensitive.

Storage class (TRGS 510): Non-combustible, corrosive hazardous materials

## 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## 8.1 Control parameters

Components with workplace control parameters

Component	CAS-No.	Value	Control	Basis
Glutaral	111-30-8	С	0.200000 ppm 0.800000 mg/m3	USA. NIOSH Recommended Exposure Limits
	Remarks	See Appen	dix C	
		С	0.050000 ppm	USA. ACGIH Threshold Limit Values (TLV)
		Upper Resp Eye irritation Skin irritation Not classifia Sensitizer	on able as a human c	arcinogen
		С	0.05 ppm	USA. ACGIH Threshold Limit Values (TLV)
		Central Nei Upper Res Eye irritatio Skin irritatio	v sensitization rvous System impa piratory Tract irritat n	ion
		С	0.05 ppm 0.2 mg/m3	California permissible exposure limits for chemical contaminants (Title 8, Article 107)
Methanol	67-56-1	TWA	200.000000 ppm	USA. ACGIH Threshold Limit Values (TLV)
		(see BEI®	s for which there is	a Biological Exposure Index or Indices on USA. ACGIH Threshold Limit Values
			ppm	(TLV)
		Headache Nausea Dizziness Eye damag Substances (see BEI®	s for which there is	a Biological Exposure Index or Indices

Sigma-Aldrich - G5882 Page 4 of 11

Danger of cu	utaneous absorption	on	
TWA	200.000000	USA. NIOSH Recommended	
	ppm	Exposure Limits	
	260.000000		
	mg/m3		
Potential for	dermal absorption	1	
ST	250.000000	USA. NIOSH Recommended	
	ppm	Exposure Limits	
	325.000000		
	mg/m3		
Potential for	dermal absorption		
TWA	200.000000	USA. Occupational Exposure Limits	
	ppm	(OSHA) - Table Z-1 Limits for Air	
	260.000000	Contaminants	
	mg/m3		
	mg/m3 is approxi		
TWA	200 ppm	USA. ACGIH Threshold Limit Values	
		(TLV)	
Headache			
Nausea			
Dizziness			
Eye damage		a Dialacia di Conserva da decembra la disea	
		a Biological Exposure Index or Indices	
(see BEI® section)			
STEL	utaneous absorptio	USA. ACGIH Threshold Limit Values	
SIEL	250 ppm		
		(TLV)	
Headache		(ILV)	
Nausea	1	](ILV)	
Nausea Dizziness	I	](ILV)	
Nausea Dizziness Eye damage			
Nausea Dizziness Eye damage Substances	for which there is	a Biological Exposure Index or Indices	
Nausea Dizziness Eye damage Substances (see BEI® s	for which there is ection)	a Biological Exposure Index or Indices	
Nausea Dizziness Eye damage Substances (see BEI® s Danger of cu	for which there is ection) utaneous absorption	a Biological Exposure Index or Indices	
Nausea Dizziness Eye damage Substances (see BEI® s	for which there is ection) utaneous absorption 200 ppm	a Biological Exposure Index or Indices on USA. NIOSH Recommended	
Nausea Dizziness Eye damage Substances (see BEI® s Danger of cu	for which there is ection) utaneous absorption 200 ppm 260 mg/m3	a Biological Exposure Index or Indices on USA. NIOSH Recommended Exposure Limits	
Nausea Dizziness Eye damage Substances (see BEI® s Danger of cu	for which there is ection) utaneous absorption 200 ppm 260 mg/m3 dermal absorption	a Biological Exposure Index or Indices on USA. NIOSH Recommended Exposure Limits	
Nausea Dizziness Eye damage Substances (see BEI® s Danger of cu	for which there is ection) utaneous absorption 200 ppm 260 mg/m3	a Biological Exposure Index or Indices on USA. NIOSH Recommended Exposure Limits	
Nausea Dizziness Eye damage Substances (see BEI® s Danger of cu TWA  Potential for ST	for which there is ection) utaneous absorption 200 ppm 260 mg/m3 dermal absorption 250 ppm	a Biological Exposure Index or Indices on USA. NIOSH Recommended Exposure Limits T USA. NIOSH Recommended Exposure Limits	
Nausea Dizziness Eye damage Substances (see BEI® s Danger of cu TWA  Potential for ST	for which there is ection) utaneous absorption 200 ppm 260 mg/m3 dermal absorption 250 ppm 325 mg/m3	a Biological Exposure Index or Indices on USA. NIOSH Recommended Exposure Limits USA. NIOSH Recommended Exposure Limits	
Nausea Dizziness Eye damage Substances (see BEI® s Danger of cu TWA  Potential for ST	for which there is ection) utaneous absorption 200 ppm 260 mg/m3 dermal absorption 250 ppm 325 mg/m3 dermal absorption 200 ppm	a Biological Exposure Index or Indices on USA. NIOSH Recommended Exposure Limits T USA. NIOSH Recommended Exposure Limits	
Nausea Dizziness Eye damage Substances (see BEI® s Danger of cu TWA  Potential for ST  Potential for TWA	for which there is ection) utaneous absorption 200 ppm 260 mg/m3 dermal absorption 250 ppm 325 mg/m3 dermal absorption 200 ppm 260 mg/m3	a Biological Exposure Index or Indices  On  USA. NIOSH Recommended Exposure Limits  USA. NIOSH Recommended Exposure Limits  USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants	
Nausea Dizziness Eye damage Substances (see BEI® s Danger of cu TWA  Potential for ST  Potential for TWA  The value in	for which there is ection) utaneous absorption 200 ppm 260 mg/m3 dermal absorption 250 ppm 325 mg/m3 dermal absorption 200 ppm 260 mg/m3	a Biological Exposure Index or Indices  On  USA. NIOSH Recommended Exposure Limits  USA. NIOSH Recommended Exposure Limits  USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants  mate.	
Nausea Dizziness Eye damage Substances (see BEI® s Danger of cu TWA  Potential for ST  Potential for TWA	for which there is ection) utaneous absorption 200 ppm 260 mg/m3 dermal absorption 250 ppm 325 mg/m3 dermal absorption 200 ppm 260 mg/m3 mg/m3 is approxition 250 ppm	a Biological Exposure Index or Indices  On  USA. NIOSH Recommended Exposure Limits  USA. NIOSH Recommended Exposure Limits  USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants  mate.  USA. OSHA - TABLE Z-1 Limits for	
Nausea Dizziness Eye damage Substances (see BEI® s Danger of cu TWA  Potential for ST  Potential for TWA  The value in STEL	for which there is ection) utaneous absorption 200 ppm 260 mg/m3 dermal absorption 250 ppm 325 mg/m3 dermal absorption 200 ppm 260 mg/m3 mg/m3 is approxi 250 ppm 325 mg/m3	a Biological Exposure Index or Indices  On  USA. NIOSH Recommended Exposure Limits  USA. NIOSH Recommended Exposure Limits  USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants  mate.	
Nausea Dizziness Eye damage Substances (see BEI® s Danger of cu TWA  Potential for ST  Potential for TWA  The value in	for which there is ection) utaneous absorption 200 ppm 260 mg/m3 dermal absorption 250 ppm 325 mg/m3 dermal absorption 200 ppm 260 mg/m3 mg/m3 is approxition 250 ppm 325 mg/m3	a Biological Exposure Index or Indices  On  USA. NIOSH Recommended Exposure Limits  USA. NIOSH Recommended Exposure Limits  USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants  mate.  USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000	
Nausea Dizziness Eye damage Substances (see BEI® s Danger of cu TWA  Potential for ST  Potential for TWA  The value in STEL	for which there is ection) utaneous absorption 200 ppm 260 mg/m3 dermal absorption 250 ppm 325 mg/m3 dermal absorption 200 ppm 260 mg/m3 mg/m3 is approxive 250 ppm 325 mg/m3 n 200 ppm	a Biological Exposure Index or Indices  On  USA. NIOSH Recommended Exposure Limits  USA. NIOSH Recommended Exposure Limits  USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants  mate.  USA. OSHA - TABLE Z-1 Limits for	
Nausea Dizziness Eye damage Substances (see BEI® s Danger of cu TWA  Potential for ST  Potential for TWA  The value in STEL  Skin notation	for which there is ection) utaneous absorption 200 ppm 260 mg/m3 dermal absorption 250 ppm 325 mg/m3 dermal absorption 200 ppm 260 mg/m3 mg/m3 is approxition 250 ppm 325 mg/m3	a Biological Exposure Index or Indices  On  USA. NIOSH Recommended Exposure Limits  USA. NIOSH Recommended Exposure Limits  USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants  mate.  USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000	

Biological occupational exposure limits

biological occupational exposure limits					
Component	CAS-No.	Parameters	Value	Biological specimen	Basis
Methanol	67-56-1	Methanol	15.0000 mg/l	Urine	ACGIH - Biological Exposure Indices (BEI)
	Remarks	End of shift (As	s soon as po	ssible after exposure	e ceases)

Sigma-Aldrich - G5882 Page 5 of 11

Methanol	15 mg/l		ACGIH - Biological Exposure Indices (BEI)
End of shift (A	s soon as po	ssible after exposure	e ceases)

#### 8.2 Exposure controls

## **Appropriate engineering controls**

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

### Personal protective equipment

### Eye/face protection

Tightly fitting safety goggles. Faceshield (8-inch minimum). Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

### Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm Break through time: 480 min

Material tested: Dermatril® (KCL 740 / Aldrich Z677272, Size M)

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm

Break through time: 480 min

Material tested:Dermatril® (KCL 740 / Aldrich Z677272, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method:

EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

#### **Body Protection**

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

#### Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multipurpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

## Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

# 9.1 Information on basic physical and chemical properties

a) Appearance Form: liquid

Colour: colourless
No data available

b) Odourc) Odour ThresholdNo data availableNo data available

d) pH 2.9

e) Melting point/freezing -10 °C (14 °F)

Sigma-Aldrich - G5882 Page 6 of 11

point

f) Initial boiling point and

boiling range

101 °C (214 °F) at 1,013 hPa (760 mmHg)

g) Flash point No data availableh) Evaporation rate No data available

i) Flammability (solid, gas) No data available

) Upper/lower flammability or explosive limits

No data available

k) Vapour pressure 0.0203 hPa (0.0152 mmHg) at 20 °C (68 °F)

I) Vapour density No data availablem) Relative density 1.061 g/cm3n) Water solubility No data available

o) Partition coefficient: noctanol/water

No data available

p) Auto-ignition temperature

No data available

q) Decomposition temperature

No data available

r) Viscosity No data available
s) Explosive properties No data available
t) Oxidizing properties No data available

## 9.2 Other safety information

No data available

#### 10. STABILITY AND REACTIVITY

## 10.1 Reactivity

No data available

## 10.2 Chemical stability

Stable under recommended storage conditions.

## 10.3 Possibility of hazardous reactions

No data available

#### 10.4 Conditions to avoid

No data available

## 10.5 Incompatible materials

Strong acids, Strong bases, Strong oxidizing agents

## 10.6 Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Carbon oxides

Other decomposition products - No data available

Hazardous decomposition products formed under fire conditions. - Carbon oxides

In the event of fire: see section 5

#### 11. TOXICOLOGICAL INFORMATION

## 11.1 Information on toxicological effects

## **Acute toxicity**

No data available

LD50 Oral - Rat - 134 mg/kg (Glutaral)

Sigma-Aldrich - G5882 Page 7 of 11

Inhalation: No data available

LC50 Inhalation - Rat - 4 h - 0.48 mg/l (Glutaral)

Remarks: Inhalation may effect the following organs: Lungs, Thorax, or Respiration: Dyspnea. Material is irritating to mucous membranes and upper respiratory tract.

Dermal: No data available

LD50 Dermal - Rat - > 2,500 mg/kg (Glutaral)

Remarks: Prolonged skin contact may cause skin irritation and/or dermatitis.

No data available (Glutaral)

### Skin corrosion/irritation

Skin - Rabbit (Glutaral) Result: Causes burns. (OECD Test Guideline 404)

### Serious eye damage/eye irritation

Eyes - Rabbit (Glutaral)

Result: Severe eye irritation - 24 h

### Respiratory or skin sensitisation

May cause allergic respiratory and skin reactions Chronic exposure may cause dermatitis. largely based on human evidence (Glutaral)

Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2) (Glutaral)

## Germ cell mutagenicity

No data available (Glutaral)

## Carcinogenicity

This product is or contains a component that is not classifiable as to its carcinogenicity based on its IARC, ACGIH, NTP, or EPA classification. (Glutaral)

(Glutaral)

(Glutaral)

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as

probable, possible or confirmed human carcinogen by IARC.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a

known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a

carcinogen or potential carcinogen by OSHA.

#### Reproductive toxicity

No data available (Glutaral)

No data available (Glutaral)

#### Specific target organ toxicity - single exposure

No data available (Glutaral)

#### Specific target organ toxicity - repeated exposure

No data available

### **Aspiration hazard**

No data available (Glutaral)

#### **Additional Information**

RTECS: Not available

burning sensation, Cough, wheezing, laryngitis, Shortness of breath, Headache, Nausea, Vomiting (Glutaral)

Liver - Irregularities - Based on Human Evidence

Liver - Irregularities - Based on Human Evidence (Glutaral)

Stomach - Irregularities - Based on Human Evidence (Methanol)

Sigma-Aldrich - G5882 Page 8 of 11

## 12. ECOLOGICAL INFORMATION

#### 12.1 Toxicity

Toxicity to fish LC50 - Oncorhynchus mykiss (rainbow trout) - 3.5 mg/l - 96.0 h (Glutaral)

Toxicity to daphnia and

other aquatic invertebrates

EC50 - Daphnia magna (Water flea) - 0.75 mg/l - 48 h (Glutaral)

Toxicity to algae EC50 - Desmodesmus subspicatus (green algae) - 0.61 mg/l - 72 h (Glutaral)

NOEC - Desmodesmus subspicatus (green algae) - 0.025 mg/l - 72 h

(Glutaral)

### 12.2 Persistence and degradability

Biodegradability Biotic/Aerobic - Exposure time 28 d (Glutaral) Result: 90 - 100 % - Readily biodegradable

#### 12.3 Bioaccumulative potential

No data available

#### 12.4 Mobility in soil

No data available (Glutaral)

### 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

#### 12.6 Other adverse effects

Very toxic to aquatic life.

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

### 13. DISPOSAL CONSIDERATIONS

#### 13.1 Waste treatment methods

### **Product**

Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.

## Contaminated packaging

Dispose of as unused product.

#### 14. TRANSPORT INFORMATION

DOT (US)

UN number: 3265 Class: 8 Packing group: II Proper shipping name: Corrosive liquid, acidic, organic, n.o.s. (Glutaral)

Reportable Quantity (RQ):

Poison Inhalation Hazard: No

IMDG

UN number: 3265 Class: 8 Packing group: II EMS-No: F-A, S-B

Proper shipping name: CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (Glutaral)

Marine pollutant:yes

**IATA** 

UN number: 3265 Class: 8 Packing group: II Proper shipping name: Corrosive liquid, acidic, organic, n.o.s. (Glutaral)

## 15. REGULATORY INFORMATION

#### **SARA 302 Components**

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

## **SARA 313 Components**

Sigma-Aldrich - G5882 Page 9 of 11

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

#### SARA 311/312 Hazards

Acute Health Hazard, Chronic Health Hazard

## Massachusetts Right To Know Components

<b>3</b>	CAS-No.	Revision Date
Glutaral	111-30-8	1993-04-24

## **Pennsylvania Right To Know Components**

	CAS-No.	Revision Date
Water	7732-18-5	
Glutaral	111-30-8	1993-04-24
Methanol	67-56-1	2007-07-01

## **New Jersey Right To Know Components**

	CAS-No.	<b>Revision Date</b>
Water	7732-18-5	
Glutaral	111-30-8	1993-04-24
Methanol	67-56-1	2007-07-01

## California Prop. 65 Components

WARNING: This product contains a chemical known to the CAS-No. **Revision Date** State of California to cause birth defects or other reproductive 67-56-1 2012-03-16

harm. Methanol

#### 16. OTHER INFORMATION

#### Full text of H-Statements referred to under sections 2 and 3.

Acute Tox.	Acute toxicity	

Aquatic Acute Acute aquatic toxicity Aquatic Chronic Chronic aquatic toxicity Serious eve damage Eye Dam. Flam. Liq. Flammable liquids

Highly flammable liquid and vapour. H225

H227 Combustible liquid.

H301 + H311 + Toxic if swallowed, in contact with skin or if inhaled

H331

Toxic if swallowed or if inhaled H301 + H331

Harmful if swallowed. H302

Causes severe skin burns and eye damage. H314

H317 May cause an allergic skin reaction. Causes serious eye damage. H318

H332 Harmful if inhaled.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Causes damage to organs. H370 Very toxic to aquatic life. H400

H411 Toxic to aquatic life with long lasting effects.

Resp. Sens. Respiratory sensitisation

Skin Corr. Skin corrosion Skin Sens. Skin sensitisation

STOT SE Specific target organ toxicity - single exposure

# **HMIS Rating**

Health hazard: 3 Chronic Health Hazard: Flammability: 0 Physical Hazard 1

Sigma-Aldrich - G5882 Page 10 of 11

## **NFPA Rating**

Health hazard: 3
Fire Hazard: 0
Reactivity Hazard: 0

## **Further information**

Copyright 2016 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

### **Preparation Information**

Sigma-Aldrich Corporation Product Safety – Americas Region 1-800-521-8956

Version: 5.11 Revision Date: 05/23/2016 Print Date: 05/28/2016

Sigma-Aldrich - G5882 Page 11 of 11