# SAFETY DATA SHEET

Version 5.0 Revision Date 04/01/2015 Print Date 05/28/2016

### 1. PRODUCT AND COMPANY IDENTIFICATION

1.1 Product identifiers

Product name : Isopropyl alcohol, natural, >=98%, FG

Product Number : W292912 Brand : Sigma-Aldrich Index-No. : 603-117-00-0

CAS-No. : 67-63-0

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances

1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich

3050 Spruce Street SAINT LOUIS MO 63103

USA

Telephone : +1 800-325-5832 Fax : +1 800-325-5052

1.4 Emergency telephone number

Emergency Phone # : (314) 776-6555

### 2. HAZARDS IDENTIFICATION

#### 2.1 Classification of the substance or mixture

### GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable liquids (Category 2), H225 Eye irritation (Category 2A), H319

Specific target organ toxicity - single exposure (Category 3), Central nervous system, H336

For the full text of the H-Statements mentioned in this Section, see Section 16.

### 2.2 GHS Label elements, including precautionary statements

Pictogram



Signal word Danger

Hazard statement(s)

H225 Highly flammable liquid and vapour.
 H319 Causes serious eye irritation.
 H336 May cause drowsiness or dizziness.

Precautionary statement(s)

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P233 Keep container tightly closed.

P240 Ground/bond container and receiving equipment.

P241 Use explosion-proof electrical/ ventilating/ lighting/ equipment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge.
P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.

Sigma-Aldrich - W292912 Page 1 of 9

P264 Wash skin thoroughly after handling.

P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves/ eye protection/ face protection.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing.

Rinse skin with water/shower.

P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for

breathing. Call a POISON CENTER or doctor/ physician if you feel

unwell.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P337 + P313 If eye irritation persists: Get medical advice/ attention.

P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to

extinguish.

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

P403 + P235 Store in a well-ventilated place. Keep cool.

P405 Store locked up.

P501 Dispose of contents/ container to an approved waste disposal plant.

### 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.1 Substances

Synonyms : 2-Propanol

sec-Propyl alcohol

IPA

Isopropanol

Formula : C3H8O

Molecular weight : 60.1 g/mol

CAS-No. : 67-63-0

EC-No. : 200-661-7

Index-No. : 603-117-00-0

### **Hazardous components**

Component	Classification	Concentration
2-Propanol		
	Flam. Liq. 2; Eye Irrit. 2A; STOT SE 3; H225, H319, H336	<= 100 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

### 4. FIRST AID MEASURES

### 4.1 Description of first aid measures

#### General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

#### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

#### In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

# In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

#### If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

#### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

Sigma-Aldrich - W292912 Page 2 of 9

### 4.3 Indication of any immediate medical attention and special treatment needed

No data available

### 5. FIREFIGHTING MEASURES

#### 5.1 Extinguishing media

### Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

### 5.2 Special hazards arising from the substance or mixture

No data available

## 5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

### 5.4 Further information

Use water spray to cool unopened containers.

### 6. ACCIDENTAL RELEASE MEASURES

### 6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

For personal protection see section 8.

### 6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

### 6.3 Methods and materials for containment and cleaning up

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13).

### 6.4 Reference to other sections

For disposal see section 13.

### 7. HANDLING AND STORAGE

#### 7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist.

Use explosion-proof equipment. Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge.

For precautions see section 2.2.

### 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Storage class (TRGS 510): Flammable liquids

# 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1 Control parameters

#### Components with workplace control parameters

Component	CAS-No.	Value	Control	Basis
			parameters	
2-Propanol	67-63-0	TWA	200.000000	USA. ACGIH Threshold Limit Values
			ppm	(TLV)
	Remarks	Central Nervous System impairment		
		Upper Respiratory Tract irritation		
		Eye irritation		
		Substances for which there is a Biological Exposure Index or Indices		

Sigma-Aldrich - W292912 Page 3 of 9

1 1	(see BEI® section)			
	Not classifiable as a human carcinogen			
	TWA	200 ppm	USA. ACGIH Threshold Limit Values	
		200 pp	(TLV)	
	Central Nervous System impairment			
	Upper Respiratory Tract irritation			
	Eye irritation			
	Substances for which there is a Biological Exposure Index or Indices			
	(see BEI® section)			
	Not classifiable as a human carcinogen			
	STEL	400 ppm	USA. ACGIH Threshold Limit Values (TLV)	
	Central Nervous System impairment			
	Upper Respiratory Tract irritation			
	Eye irritation			
	Substances for which there is a Biological Exposure Index or Indices			
	(see BEI® section)			
	Not classifiable as a human carcinogen			
	STEL	400.000000	USA. ACGIH Threshold Limit Values	
		ppm	(TLV)	
	Central Nervous System impairment			
	Upper Respiratory Tract irritation			
	Eye irritation	•		
	Substances	for which there is a	Biological Exposure Index or Indices	
	(see BEI® section)			
	Not classifiable as a human carcinogen			
	TWA	400.000000	USA. Occupational Exposure Limits	
		ppm	(OSHA) - Table Z-1 Limits for Air	
		980.000000	Contaminants	
		mg/m3		
	The value in mg/m3 is approximate.			
	TWA	400.000000	USA. NIOSH Recommended	
		ppm	Exposure Limits	
		980.000000		
	CT	mg/m3	LICA NIOCH Door	
	ST	500.000000	USA. NIOSH Recommended	
		ppm 1,225.000000	Exposure Limits	
		mg/m3		
		1119/1110		

Biological occupational exposure limits

Component	CAS-No.	Parameters	Value	Biological specimen	Basis
2-Propanol	67-63-0	Acetone	40.0000 mg/l	Urine	ACGIH - Biological Exposure Indices (BEI)
	Remarks	End of shift at end of workweek			

# 8.2 Exposure controls

# **Appropriate engineering controls**

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

# Personal protective equipment

# Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Sigma-Aldrich - W292912 Page 4 of 9

# Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

### **Body Protection**

impervious clothing. Flame retardant antistatic protective clothing. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

### Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multipurpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

# Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

#### 9.1 Information on basic physical and chemical properties

Form: liquid Appearance

Colour: colourless

Odour alcohol-like b)

Odour Threshold No data available c) No data available d) На

Melting point/freezing

point

-89.49 °C (-129.08 °F)

Initial boiling point and

boiling range

81.0 - 83.0 °C (177.8 - 181.4 °F)

g) Flash point 12.0 °C (53.6 °F) - closed cup

Evaporation rate 3.0

i) Flammability (solid, gas) No data available

Upper/lower flammability or explosive limits Upper explosion limit: 12.7 %(V) Lower explosion limit: 2 %(V)

Vapour pressure 43.2 hPa (32.4 mmHg) at 20.0 °C (68.0 °F)

58.7 hPa (44.0 mmHg) at 25.0 °C (77.0 °F)

Vapour density No data available

m) Relative density 0.78 g/cm3

n) Water solubility completely soluble o) Partition coefficient: n-

octanol/water

log Pow: 0.05

p) Auto-ignition 425.0 °C (797.0 °F) temperature

q) Decomposition

No data available

temperature

r) Viscosity No data available Explosive properties No data available Oxidizing properties No data available

#### 9.2 Other safety information

20.8 mN/m at 25.0 °C (77.0 °F) Surface tension

Sigma-Aldrich - W292912 Page 5 of 9

### 10. STABILITY AND REACTIVITY

#### 10.1 Reactivity

No data available

#### 10.2 Chemical stability

Stable under recommended storage conditions.

### 10.3 Possibility of hazardous reactions

Vapours may form explosive mixture with air.

### 10.4 Conditions to avoid

Heat, flames and sparks.

#### 10.5 Incompatible materials

Oxidizing agents, Acid anhydrides, Aluminium, Halogenated compounds, Acids

### 10.6 Hazardous decomposition products

Other decomposition products - No data available

In the event of fire: see section 5

## 11. TOXICOLOGICAL INFORMATION

### 11.1 Information on toxicological effects

#### **Acute toxicity**

LD50 Oral - Rat - 5,045 mg/kg

Remarks: Behavioral:Altered sleep time (including change in righting reflex). Behavioral:Somnolence (general depressed activity).

LC50 Inhalation - Rat - 8 h - 16000 ppm

LD50 Dermal - Rabbit - 12,800 mg/kg

No data available

# Skin corrosion/irritation

Skin - Rabbit

Result: Mild skin irritation

## Serious eye damage/eye irritation

Eves - Rabbit

Result: Eye irritation - 24 h

### Respiratory or skin sensitisation

No data available

# Germ cell mutagenicity

No data available

## Carcinogenicity

This product is or contains a component that is not classifiable as to its carcinogenicity based on its IARC, ACGIH, NTP, or EPA classification.

IARC: 3 - Group 3: Not classifiable as to its carcinogenicity to humans (2-Propanol)

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a

known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a

carcinogen or potential carcinogen by OSHA.

### Reproductive toxicity

No data available

No data available

Sigma-Aldrich - W292912 Page 6 of 9

### Specific target organ toxicity - single exposure

Inhalation, Oral - May cause drowsiness or dizziness.

### Specific target organ toxicity - repeated exposure

No data available

#### **Aspiration hazard**

No data available

#### **Additional Information**

RTECS: Not available

Central nervous system depression, prolonged or repeated exposure can cause:, Nausea, Headache, Vomiting, narcosis, Drowsiness, Overexposure may cause mild, reversible liver effects., Aspiration may lead to:, Lung oedema, Pneumonia

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Kidney - Irregularities - Based on Human Evidence Kidney - Irregularities - Based on Human Evidence

### 12. ECOLOGICAL INFORMATION

## 12.1 Toxicity

Toxicity to fish LC50 - Pimephales promelas (fathead minnow) - 9,640.00 mg/l - 96 h

Toxicity to daphnia and

other aquatic invertebrates

EC50 - Daphnia magna (Water flea) - 5,102.00 mg/l - 24 h

Immobilization EC50 - Daphnia magna (Water flea) - 6,851 mg/l - 24 h

Toxicity to algae EC50 - Desmodesmus subspicatus (green algae) - > 2,000.00 mg/l - 72 h

EC50 - Algae - > 1,000.00 mg/l - 24 h

### 12.2 Persistence and degradability

No data available

### 12.3 Bioaccumulative potential

No bioaccumulation is to be expected (log Pow <= 4).

### 12.4 Mobility in soil

No data available

# 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

### 12.6 Other adverse effects

No data available

# 13. DISPOSAL CONSIDERATIONS

### 13.1 Waste treatment methods

#### **Product**

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.

### Contaminated packaging

Dispose of as unused product.

### 14. TRANSPORT INFORMATION

DOT (US)

UN number: 1219 Class: 3 Packing group: II

Proper shipping name: Isopropanol

Reportable Quantity (RQ):

Sigma-Aldrich - W292912 Page 7 of 9

Poison Inhalation Hazard: No

**IMDG** 

UN number: 1219 Class: 3 Packing group: II EMS-No: F-E, S-D

Proper shipping name: ISOPROPANOL

IATA

UN number: 1219 Class: 3 Packing group: II

Proper shipping name: Isopropanol

# 15. REGULATORY INFORMATION

### **SARA 302 Components**

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

#### **SARA 313 Components**

The following components are subject to reporting levels established by SARA Title III, Section 313:

2-Propanol CAS-No. Revision Date 67-63-0 1987-01-01

**Massachusetts Right To Know Components** 

2-Propanol CAS-No. Revision Date 67-63-0 1987-01-01

**Pennsylvania Right To Know Components** 

2-Propanol CAS-No. Revision Date 67-63-0 1987-01-01

**New Jersey Right To Know Components** 

CAS-No. Revision Date

2-Propanol 67-63-0 1987-01-01

#### California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

### **16. OTHER INFORMATION**

#### Full text of H-Statements referred to under sections 2 and 3.

Eye Irrit. Eye irritation Flam. Liq. Flammable liquids

H225 Highly flammable liquid and vapour.
H319 Causes serious eye irritation.
H336 May cause drowsiness or dizziness.

STOT SE Specific target organ toxicity - single exposure

### **HMIS Rating**

Health hazard: 2
Chronic Health Hazard: \*
Flammability: 3
Physical Hazard 0

### **NFPA Rating**

Health hazard: 2
Fire Hazard: 3
Reactivity Hazard: 0

### **Further information**

Copyright 2015 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the

Sigma-Aldrich - W292912 Page 8 of 9

product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

# **Preparation Information**

Sigma-Aldrich Corporation Product Safety – Americas Region 1-800-521-8956

Version: 5.0 Revision Date: 04/01/2015 Print Date: 05/28/2016

Sigma-Aldrich - W292912 Page 9 of 9