SAFETY DATA SHEET

Version 4.9 Revision Date 05/06/2015 Print Date 05/28/2016

1. PRODUCT AND COMPANY IDENTIFICATION

1.1 Product identifiers

Product name : Oxalic acid dihydrate

Product Number : 247537
Brand : Sigma-Aldrich
Index-No. : 607-006-00-8

CAS-No. : 6153-56-6

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances

1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich

3050 Spruce Street SAINT LOUIS MO 63103

USA

Telephone : +1 800-325-5832 Fax : +1 800-325-5052

1.4 Emergency telephone number

Emergency Phone # : (314) 776-6555

2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Acute toxicity, Oral (Category 4), H302 Acute toxicity, Dermal (Category 4), H312 Serious eye damage (Category 1), H318

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 GHS Label elements, including precautionary statements

Pictogram

Signal word Danger

Hazard statement(s)

H302 + H312 Harmful if swallowed or in contact with skin

H318 Causes serious eye damage.

Precautionary statement(s)

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P280 Wear eye protection/ face protection.
P280 Wear protective gloves/ protective clothing.

P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER or doctor/ physician if you

feel unwell. Rinse mouth.

P302 + P352 + P312 IF ON SKIN: Wash with plenty of soap and water. Call a POISON

CENTER or doctor/ physician if you feel unwell.

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. Immediately

call a POISON CENTER or doctor/ physician.

P363 Wash contaminated clothing before reuse.

P501 Dispose of contents/ container to an approved waste disposal plant.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Synonyms : Ethanedioic acid

Formula : $C_2H_2O_4 \cdot 2H_2O$ Molecular weight : 126.07 g/mol CAS-No. : 6153-56-6 EC-No. : 205-634-3 Index-No. : 607-006-00-8

Hazardous components

Component	Classification	Concentration	
Oxalic acid dihydrate			
·	Acute Tox. 4; Eye Dam. 1;	<= 100 %	
	H302 + H312, H318		

No components need to be disclosed according to the applicable regulations. For the full text of the H-Statements mentioned in this Section, see Section 16.

4. FIRST AID MEASURES

4.1 Description of first aid measures

General advice

Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed

No data available

5. FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

5.2 Special hazards arising from the substance or mixture

Carbon oxides

5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

5.4 Further information

No data available

Sigma-Aldrich - 247537 Page 2 of 8

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid dust formation. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust. For personal protection see section 8.

6.2 Environmental precautions

Do not let product enter drains.

6.3 Methods and materials for containment and cleaning up

Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For disposal see section 13.

7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Further processing of solid materials may result in the formation of combustible dusts. The potential for combustible dust formation should be taken into consideration before additional processing occurs.

Provide appropriate exhaust ventilation at places where dust is formed.

For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place.

hygroscopic

Storage class (TRGS 510): Non Combustible Solids

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Components with workplace control parameters

Component	CAS-No.	Value	Control parameters	Basis		
Oxalic acid dihydrate	6153-56-6	TWA	1 mg/m3	USA. ACGIH Threshold Limit Values (TLV)		
	Remarks	Upper Respiratory Tract irritation Eye irritation Skin irritation Adopted values or notations enclosed are those for which change are proposed in the NIC See Notice of Intended Changes (NIC) TWA 1.000000 USA. ACGIH Threshold Limit Val				
			mg/m3	(TLV)		
		Upper Respiratory Tract irritation Eye irritation Skin irritation				
		STEL	2 mg/m3	USA. ACGIH Threshold Limit Values (TLV)		
		Upper Respiratory Tract irritation Eye irritation Skin irritation Adopted values or notations enclosed are those for which cha are proposed in the NIC See Notice of Intended Changes (NIC)				

Sigma-Aldrich - 247537 Page 3 of 8

STEL	2.000000 mg/m3	USA. ACGIH Threshold Limit Values (TLV)
Upper Re Eye irrita Skin irrita		tation
TWA	1.000000 mg/m3	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
TWA	1.000000 mg/m3	USA. NIOSH Recommended Exposure Limits
ST	2.000000 mg/m3	USA. NIOSH Recommended Exposure Limits

8.2 Exposure controls

Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Personal protective equipment

Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm Break through time: 480 min

Material tested:Dermatril® (KCL 740 / Aldrich Z677272, Size M)

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm Break through time: 480 min

Material tested: Dermatril® (KCL 740 / Aldrich Z677272, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method:

EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

Body Protection

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

Do not let product enter drains.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

a) Appearance Form: crystalline

Sigma-Aldrich - 247537 Page 4 of 8

Colour: colourless

b) Odourc) Odour ThresholdNo data availableNo data available

d) pH 1 at 126.1 g/l at 25 °C (77 °F)

e) Melting point/freezing

point

Melting point/range: 104 - 106 °C (219 - 223 °F) - lit.

f) Initial boiling point and

boiling range

No data available

g) Flash point No data available
h) Evaporation rate No data available
i) Flammability (solid, gas) No data available

 Upper/lower flammability or explosive limits No data available

k) Vapour pressure < 0.01 hPa (< 0.01 mmHg) at 20 °C (68 °F)

I) Vapour density No data availablem) Relative density No data available

n) Water solubility ca.126.1 g/l at 20 °C (68 °F)

o) Partition coefficient: n-

octanol/water

log Pow: -0.81

p) Auto-ignition temperature No data available

q) Decomposition temperature

No data available

r) Viscosity No data available
 s) Explosive properties No data available
 t) Oxidizing properties No data available

9.2 Other safety information

Bulk density 0.90 g/l

10. STABILITY AND REACTIVITY

10.1 Reactivity

No data available

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

No data available

10.4 Conditions to avoid

Avoid moisture.

10.5 Incompatible materials

Bases, Metals, Acid chlorides, Alkali metals

10.6 Hazardous decomposition products

Other decomposition products - No data available

In the event of fire: see section 5

Sigma-Aldrich - 247537 Page 5 of 8

11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - 1,080 mg/kg

Inhalation: No data available

No data available

Skin corrosion/irritation

Skin - Rabbit

Result: Mild skin irritation

Serious eye damage/eye irritation

Eyes - Rabbit

Result: Risk of serious damage to eyes.

(OECD Test Guideline 405)

Respiratory or skin sensitisation

No data available

Germ cell mutagenicity

Result: Not mutagenic in Ames Test

Histidine reversion (Ames)

Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as

probable, possible or confirmed human carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a

carcinogen or potential carcinogen by ACGIH.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a

known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a

carcinogen or potential carcinogen by OSHA.

Reproductive toxicity

Possible risk of congenital malformation in the fetus.

No data available

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available

Additional Information

RTECS: Not available

Effects due to ingestion may include:, Nausea, Vomiting, Local irritation Inhalation may provoke the following symptoms:, Cough, Shortness of breath

Kidney injury may occur., Cardiovascular effects.

Stomach - Irregularities - Based on Human Evidence

Stomach - Irregularities - Based on Human Evidence

12. ECOLOGICAL INFORMATION

12.1 Toxicity

Toxicity to fish LC50 - Leuciscus idus (Golden orfe) - 160 mg/l - 48 h

Sigma-Aldrich - 247537 Page 6 of 8

Toxicity to daphnia and EC50 - Daphnia magna (Water flea) - 137 mg/l - 48 h other aquatic invertebrates

12.2 Persistence and degradability

Biodegradability

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

12.6 Other adverse effects

No data available

13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product

Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber. Offer surplus and non-recyclable solutions to a licensed disposal company.

Contaminated packaging

Dispose of as unused product.

14. TRANSPORT INFORMATION

DOT (US)

Not dangerous goods

IMDG

Not dangerous goods

IATA

Not dangerous goods

15. REGULATORY INFORMATION

SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

CAS-No.

Revision Date

SARA 311/312 Hazards

Acute Health Hazard, Chronic Health Hazard

Massachusetts Right To Know Components

Oxalic acid dihydrate	6153-56-6	1993-04-24
Pennsylvania Right To Know Components		
	CAS-No.	Revision Date
Oxalic acid dihydrate	6153-56-6	1993-04-24
New Jersey Right To Know Components		
	CAS-No.	Revision Date
Oxalic acid dihydrate	6153-56-6	1993-04-24

California Prop. 65 Components

Sigma-Aldrich - 247537 Page 7 of 8

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

16. OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3.

Acute Tox. Acute toxicity

Eye Dam. Serious eye damage H302 Harmful if swallowed.

H302 + H312 Harmful if swallowed or in contact with skin

H312 Harmful in contact with skin.
H318 Causes serious eye damage.

HMIS Rating

Health hazard: 2
Chronic Health Hazard: *
Flammability: 0
Physical Hazard 0

NFPA Rating

Health hazard: 2
Fire Hazard: 0
Reactivity Hazard: 0

Further information

Copyright 2015 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Preparation Information

Sigma-Aldrich Corporation Product Safety – Americas Region 1-800-521-8956

Version: 4.9 Revision Date: 05/06/2015 Print Date: 05/28/2016

Sigma-Aldrich - 247537 Page 8 of 8