

SAFETY DATA SHEET

Creation Date 22-Sep-2009

Revision Date 10-Feb-2015

Revision Number 1

1. Identification

AC130570000; AC130570025; AC130570050; AC130575000

Product Name

p-Phenylenediamine

Cat No. :

Synonyms 1,4-Diaminobenzene

Recommended Use

Uses advised against No Information available Details of the supplier of the safety data sheet

Company Fisher Scientific One Reagent Lane Fair Lawn, NJ 07410 Tel: (201) 796-7100 Entity / Business Name Acros Organics One Reagent Lane Fair Lawn, NJ 07410

Laboratory chemicals.

Emergency Telephone Number For information US call: 001-800-ACROS-01 / Europe call: +32 14 57 52 11 Emergency Number US:001-201-796-7100 / Europe: +32 14 57 52 99 CHEMTREC Tel. No.US:001-800-424-9300 / Europe:001-703-527-3887

2. Hazard(s) identification

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute oral toxicity Acute dermal toxicity Acute Inhalation Toxicity - Dusts and Mists Serious Eye Damage/Eye Irritation Skin Sensitization

Category 3 Category 3 Category 3 Category 2 Category 1

Label Elements

Signal Word Danger

Hazard Statements

Toxic if swallowed Toxic in contact with skin Toxic if inhaled May cause an allergic skin reaction Causes serious eye irritation



Precautionary Statements

Prevention

Wash face, hands and any exposed skin thoroughly after handling Do not eat, drink or smoke when using this product Wear protective gloves/protective clothing/eye protection/face protection Avoid breathing dust/fume/gas/mist/vapors/spray Use only outdoors or in a well-ventilated area Contaminated work clothing should not be allowed out of the workplace Inhalation Call a POISON CENTER or doctor/physician LE INHALED: Remove victim to fresh air and keep at rect in a position comfortab

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Skin

IF ON SKIN: Wash with plenty of soap and water

Call a POISON CENTER or doctor/physician if you feel unwell

Remove/Take off immediately all contaminated clothing

Wash contaminated clothing before reuse

If skin irritation or rash occurs: Get medical advice/attention

Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention

Ingestion

IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician

Rinse mouth

Storage

Store locked up

Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Very toxic to aquatic life with long lasting effects

3. Composition / information on ingredients

Component	CAS-No	Weight %
p-Phenylene diamine	106-50-3	99

4. First-aid measures

Eye Contact	Immediate medical attention is required. Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.
Skin Contact	Wash off immediately with plenty of water for at least 15 minutes. Immediate medical attention is required.
Inhalation	Move to fresh air. If breathing is difficult, give oxygen. Do not use mouth-to-mouth resuscitation if victim ingested or inhaled the substance; induce artificial respiration with a respiratory medical device. Immediate medical attention is required.
Ingestion	Do not induce vomiting. Call a physician or Poison Control Center immediately.
Most important symptoms/effects	May cause allergic skin reaction. Symptoms of allergic reaction may include rash, itching,

Notes to Physician	swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, ches pain, muscle pain or flushing Treat symptomatically							
	5. Fire-fightir	ng measures						
Suitable Extinguishing Media	Water spray. Carbon dioxic	de (CO2). Dry chemical. alcoho	ol-resistant foam.					
Insuitable Extinguishing Media	table Extinguishing Media No information available							
Flash Point Method -	156 °C / 312.8 °F No information available							
Autoignition Temperature	No information available							
Explosion Limits Upper Lower Sensitivity to Mechanical Impa Sensitivity to Static Discharge								
Keep product and empty container a Hazardous Combustion Products Nitrogen oxides (NOx) Carbon mone Protective Equipment and Precau As in any fire, wear self-contained b protective gear.	oxide (CO) Carbon dioxide (CC tions for Firefighters) D2)	ved or equivalent) and full					
IFPA Health 3	Flammability 0	Instability 0	Physical hazards N/A					
	6. Accidental rel	lease measures						
Personal Precautions Environmental Precautions		n. Use personal protective equ al ecological information. Avoi						
Aethods for Containment and Cle Jp	an Sweep up or vacuum up sp	billage and collect in suitable co	ontainer for disposal.					

	7. Handling and storage
Handling	Do not breathe dust. Do not breathe vapors or spray mist. Do not get in eyes, on skin, or on clothing. Use only in area provided with appropriate exhaust ventilation.
Storage	Keep in a dry, cool and well-ventilated place. Keep container tightly closed. Material darkens in color during storage. Keep under nitrogen.

8. Exposure controls / personal protection

Exposure Guidelines

Component	ACGIH TLV	OSHA PEL	NIOSH IDLH	
p-Phenylene diamine	TWA: 0.1 mg/m ³	(Vacated) TWA: 0.1 mg/m ³	IDLH: 25 mg/m ³	
		Skin	TWA: 0.1 mg/m ³	
		TWA: 0.1 mg/m ³	_	
Component	Quebec	Mexico OEL (TWA)	Ontario TWAEV	
p-Phenylene diamine	TWA: 0.1 mg/m ³	TWA: 0.1 mg/m ³	TWA: 0.1 mg/m ³	

Skin

p-Phenylenediamine

<u>Legend</u>

ACGIH - American Conference of Governmental Industrial Hygienists OSHA - Occupational Safety and Health Administration NIOSH IDLH: The National Institute for Occupational Safety and Health Immediately Dangerous to Life or Health

Engineering Measures	Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations and safety showers are close to the workstation location.
Personal Protective Equipment	
Eye/face Protection	Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.
Skin and body protection	Wear appropriate protective gloves and clothing to prevent skin exposure.
Respiratory Protection	Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.
Hygiene Measures	Handle in accordance with good industrial hygiene and safety practice.

9. Physic	al and chemical properties
Physical State	Solid
Appearance	Brown
Odor	No information available
Odor Threshold	No information available
рН	8-9 10 g/l aq. sol
Melting Point/Range	139 - 141 °C / 282.2 - 285.8 °F
Boiling Point/Range	No information available
Flash Point	156 °C / 312.8 °F
Evaporation Rate	No information available
Flammability (solid,gas)	No information available
Flammability or explosive limits	
Upper	9.8%
Lower	1.5%
Vapor Pressure	0.01 mbar @ 20 °C
Vapor Density	3.72
Relative Density	No information available
Solubility	No information available
Partition coefficient; n-octanol/water	No data available
Autoignition Temperature	No information available
Decomposition Temperature	> 500°C
Viscosity	No information available
Molecular Formula	C6 H8 N2
Molecular Weight	108.14

10. Stability and reactivity

Reactive Hazard	None known, based on information available
Stability	Air sensitive.
Conditions to Avoid	Exposure to air. Incompatible products.
Incompatible Materials	Acids, Strong oxidizing agents, Acid anhydrides, Acid chlorides
Hazardous Decomposition Product	s Nitrogen oxides (NOx), Carbon monoxide (CO), Carbon dioxide (CO2)

Hazardous Polymerization

Hazardous polymerization does not occur.

Hazardous Reactions

None under normal processing.

11. Toxicological information

Acute Toxicity

Componen	t	LD50 Oral		LD50 Dermal	LC50	Inhalation		
p-Phenylene dia	mine	80 mg/kg (Rat)	80 mg/kg (Rat) 5000 mg/kg (Rabbit) 92			920 mg/m3 (Rat) 4 h		
Foxicologically Syn	ergistic	No information available						
Products								
Delayed and immed	iate effects a	s well as chronic effect	ts from short an	d long-term expo	sure			
rritation		Irritating to eyes	Irritating to eyes					
Sensitization		May cause sensitiz	ation by skin cont	act				
Carcinogenicity		The table below indicates whether each agency has listed any ingredient as a carcinogen						
Component	CAS-No	IARC	NTP	ACGIH	OSHA	Mexico		
p-Phenylene diamine	106-50-3	Not listed	Not listed	Not listed	Not listed	Not listed		
Mutagenic Effects		No information ava	No information available					
Reproductive Effect	S	No information ava	No information available.					
Developmental Effe	cts	No information ava	ilable.					
Teratogenicity		No information ava	No information available.					
STOT - single expos STOT - repeated exp		None known None known						
Aspiration hazard		No information ava	No information available					
Symptoms / effects delayed Endocrine Disruptor	-	of the hands and fe	nd Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tinglin of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing No information available					
Other Adverse Effec	ts	See actual entry in	See actual entry in RTECS for complete information.					
		12 Ecolo	ogical infor	mation				

Ecotoxicity

ComponentFreshwater AlgaeFreshwater FishMicrotoxWater Fleap-Phenylene diamine0.28 mg/L EC50 = 96 h0.06 mg/L LC50 96 hEC50 = 37.5 mg/L 30 min0.28 mg/L EC50 = 48 hPersistence and DegradabilityNo information availableNo information availableNo information available

Bioaccumulation/ Accumulation N

No information available.

.

Mobility

Component	log Pow
p-Phenylene diamine	-0.26

Waste Disposal Methods

13. Disposal considerations

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and

national hazardous waste regulations to ensure complete and accurate classification.

14. Transport information

	• • • • • • • • • • • • • • • • • • •
DOT	
UN-No	UN1673
Proper Shipping Name	PHENYLENEDIAMINES
Hazard Class	6.1
Packing Group	III
TDG	
UN-No	UN1673
Proper Shipping Name	PHENYLENEDIAMINES
Hazard Class	6.1
Packing Group	III
UN-No	1673
Proper Shipping Name	PHENYLENEDIAMINES
Hazard Class	6.1
Packing Group	III
IMDG/IMO	
UN-No	1673
Proper Shipping Name	PHENYLENEDIAMINES
Hazard Class	6.1
Packing Group	III
	15. Regulatory information
	i en regalator y mormation

International Inventories

Component	TSCA	DSL	NDSL	EINECS	ELINCS	NLP	PICCS	ENCS	AICS	IECSC	KECL
p-Phenylene diamine	Х	Х	-	203-404-7	-		Х	Х	Х	Х	Х
Legend:											

X - Listed

E - Indicates a substance that is the subject of a Section 5(e) Consent order under TSCA.

F - Indicates a substance that is the subject of a Section 5(f) Rule under TSCA.

N - Indicates a polymeric substance containing no free-radical initiator in its inventory name but is considered to cover the designated polymer made with any free-radical initiator regardless of the amount used.

P - Indicates a commenced PMN substance

R - Indicates a substance that is the subject of a Section 6 risk management rule under TSCA.

S - Indicates a substance that is identified in a proposed or final Significant New Use Rule

T - Indicates a substance that is the subject of a Section 4 test rule under TSCA.

XU - Indicates a substance exempt from reporting under the Inventory Update Rule, i.e. Partial Updating of the TSCA Inventory Data Base Production and Site Reports (40 CFR 710(B).

Y1 - Indicates an exempt polymer that has a number-average molecular weight of 1,000 or greater.

Y2 - Indicates an exempt polymer that is a polyester and is made only from reactants included in a specified list of low concern reactants that comprises one of the eligibility criteria for the exemption rule.

U.S. Federal Regulations

TSCA 12(b)	Not applicable
------------	----------------

SARA 313

Component	CAS-No	Weight %	SARA 313 - Threshold Values %
p-Phenylene diamine	106-50-3	99	1.0

SARA 311/312 Hazardous Categorization

Acute Health Hazard	Yes
Chronic Health Hazard	No
Fire Hazard	No
Sudden Release of Pressure Hazard	No
Reactive Hazard	No

Clean Water Act

Not applicable

Clean Air Act

Component	HAPS Data	Class 1 Ozone Depletors	Class 2 Ozone Depletors
p-Phenylene diamine	X		-

OSHA Occupational Safety and Health Administration Not applicable

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

p-Phenylene diamine 5000 lb	-

California Proposition 65

This product does not contain any Proposition 65 chemicals

State Right-to-Know

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
p-Phenylene diamine	Х	Х	Х	Х	Х

U.S. Department of Transportation

Reportable Quantity (RQ):	Ν
DOT Marine Pollutant	Ν
DOT Severe Marine Pollutant	Ν

U.S.	Department	of Homeland	Security
			· · · · · · · · · · · · · · · · · · ·

This product does not contain any DHS chemicals.

Other International Regulations

Mexico - Grade

No information available

Canada

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR

D1A Very toxic materials D2B Toxic materials



16. Other information

Prepared By

Regulatory Affairs Thermo Fisher Scientific

Email: EMSDS.RA@thermofisher.com

Creation Date Revision Date Print Date Revision Summary 22-Sep-2009 10-Feb-2015 10-Feb-2015 This document has been updated to comply with the US OSHA HazCom 2012 Standard replacing the current legislation under 29 CFR 1910.1200 to align with the Globally Harmonized System of Classification and Labeling of Chemicals (GHS) Disclaimer

The information provided on this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of SDS