# **SAFETY DATA SHEET**

Version 4.10 Revision Date 05/23/2016 Print Date 05/28/2016

# 1. PRODUCT AND COMPANY IDENTIFICATION

1.1 Product identifiers

Product name : Sodium metabisulfite

Product Number : 31448

Brand : Sigma-Aldrich Index-No. : 016-063-00-2

CAS-No. : 7681-57-4

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich

3050 Spruce Street SAINT LOUIS MO 63103

USA

Telephone : +1 800-325-5832 Fax : +1 800-325-5052

1.4 Emergency telephone number

Emergency Phone # : (314) 776-6555

## 2. HAZARDS IDENTIFICATION

#### 2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Acute toxicity, Oral (Category 4), H302 Serious eye damage (Category 1), H318 Acute aquatic toxicity (Category 3), H402

For the full text of the H-Statements mentioned in this Section, see Section 16.

# 2.2 GHS Label elements, including precautionary statements

Pictogram

Signal word Danger

Hazard statement(s)

H302 Harmful if swallowed.

H318 Causes serious eye damage. H402 Harmful to aquatic life.

Precautionary statement(s)

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P273 Avoid release to the environment.
P280 Wear eye protection/ face protection.

P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.

Rinse mouth.

Sigma-Aldrich - 31448

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. Immediately

call a POISON CENTER/doctor.

P501 Dispose of contents/ container to an approved waste disposal plant.

# 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

Contact with acids liberates toxic gas.

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

### 3.1 Substances

Svnonyms : Sodium disulfite

Sodium pyrosulfite

**Hazardous components** 

Component	Classification	Concentration
Sodium metabisulphite		
	Acute Tox. 4; Eye Dam. 1; Aquatic Acute 3; H302, H318, H402	<= 100 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

## 4. FIRST AID MEASURES

## 4.1 Description of first aid measures

#### General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

#### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

#### In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

# In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

## If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

## 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

## 4.3 Indication of any immediate medical attention and special treatment needed

No data available

# **5. FIREFIGHTING MEASURES**

## 5.1 Extinguishing media

# Suitable extinguishing media

Dry powder

# 5.2 Special hazards arising from the substance or mixture

No data available

## 5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

Sigma-Aldrich - 31448 Page 2 of 8

## 5.4 Further information

No data available

## 6. ACCIDENTAL RELEASE MEASURES

## 6.1 Personal precautions, protective equipment and emergency procedures

Wear respiratory protection. Avoid dust formation. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust.

For personal protection see section 8.

# 6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

## 6.3 Methods and materials for containment and cleaning up

Pick up and arrange disposal without creating dust. Sweep up and shovel. Do not flush with water. Keep in suitable, closed containers for disposal.

### 6.4 Reference to other sections

For disposal see section 13.

## 7. HANDLING AND STORAGE

# 7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Further processing of solid materials may result in the formation of combustible dusts. The potential for combustible dust formation should be taken into consideration before additional processing occurs.

Provide appropriate exhaust ventilation at places where dust is formed.

For precautions see section 2.2.

# 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place.

Never allow product to get in contact with water during storage. Do not store near acids.

Air and moisture sensitive. Keep in a dry place.

Storage class (TRGS 510): Non Combustible Solids

## 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## 8.1 Control parameters

# Components with workplace control parameters

Component	CAS-No.	Value	Control	Basis
			parameters	
Sodium	7681-57-4	STEL	5.000000	USA. ACGIH Threshold Limit Values
metabisulphite			mg/m3	(TLV)
	Remarks	Upper Respiratory Tract irritation		
		Not classifiable as a human carcinogen		
		TWA	5.000000	USA. NIOSH Recommended
			mg/m3	Exposure Limits
		TWA	5.000000	USA. ACGIH Threshold Limit Values
			mg/m3	(TLV)
		Upper Respiratory Tract irritation Not classifiable as a human carcinogen		
		PEL	5 mg/m3	California permissible exposure
				limits for chemical contaminants
				(Title 8, Article 107)

#### 8.2 Exposure controls

## Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Sigma-Aldrich - 31448 Page 3 of 8

## Personal protective equipment

## Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

## Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm Break through time: 480 min

Material tested:Dermatril® (KCL 740 / Aldrich Z677272, Size M)

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm Break through time: 480 min

Material tested:Dermatril® (KCL 740 / Aldrich Z677272, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method:

EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

## **Body Protection**

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

### Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

## Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

## 9.1 Information on basic physical and chemical properties

a) Appearance Form: powder

Colour: colourless

b) Odour pungent

c) Odour Threshold No data available

d) pH 4.5 at 50 g/l at 20 °C (68 °F)

e) Melting point/freezing

point

Melting point/range: > 300 °C (> 572 °F)

f) Initial boiling point and

boiling range

No data available

g) Flash point No data available
h) Evaporation rate No data available

i) Flammability (solid, gas) No data available

j) Upper/lower No data available

Sigma-Aldrich - 31448 Page 4 of 8

flammability or explosive limits

Vapour pressure No data available Vapour density No data available m) Relative density 1.480 g/cm3

650 g/l at 20 °C (68 °F) n) Water solubility

Partition coefficient: noctanol/water

No data available

log Pow: -3.699 at 25 °C (77 °F)

Auto-ignition temperature

Decomposition temperature

No data available

Viscosity No data available Explosive properties No data available No data available Oxidizing properties

9.2 Other safety information

> Bulk density 1,100 - 1,200 kg/m3

## 10. STABILITY AND REACTIVITY

#### 10.1 Reactivity

No data available

#### 10.2 Chemical stability

Exposure to moisture

Stable under recommended storage conditions.

#### Possibility of hazardous reactions 10.3

No data available

## 10.4 Conditions to avoid

Exposure to air. Heat

# 10.5 Incompatible materials

Strong acids, Strong oxidizing agents

#### 10.6 Hazardous decomposition products

Other decomposition products - No data available

Hazardous decomposition products formed under fire conditions. - Sulphur oxides, Sodium oxides

In the event of fire: see section 5

## 11. TOXICOLOGICAL INFORMATION

## Information on toxicological effects

## Acute toxicity

LD50 Oral - Rat - 1,540 mg/kg (OECD Test Guideline 401)

Inhalation: No data available

LD50 Dermal - Rat - > 2,000 mg/kg

No data available

# Skin corrosion/irritation

No data available

# Serious eye damage/eye irritation

Eves - Rabbit

Result: Risk of serious damage to eyes.

Sigma-Aldrich - 31448 Page 5 of 8 (OECD Test Guideline 405)

# Respiratory or skin sensitisation

Prolonged or repeated exposure may cause allergic reactions in certain sensitive individuals.

## Germ cell mutagenicity

No data available

## Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as

probable, possible or confirmed human carcinogen by IARC.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a

known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a

carcinogen or potential carcinogen by OSHA.

## Reproductive toxicity

No data available

No data available

# Specific target organ toxicity - single exposure

No data available

# Specific target organ toxicity - repeated exposure

No data available

# **Aspiration hazard**

No data available

## **Additional Information**

RTECS: UX8225000

Symptoms of exposure may include burning sensation, coughing, wheezing, laryngitis, shortness of breath, headache, nausea, and vomiting., chest pain, Difficulty in breathing, Gastrointestinal discomfort, Vomiting, Diarrhoea, Persons with allergies and/or asthma may exhibit hypersensitivity to sulfites., To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

# 12. ECOLOGICAL INFORMATION

## 12.1 Toxicity

Toxicity to fish LC50 - Oncorhynchus mykiss (rainbow trout) - 150 - 220 mg/l - 96 h

Toxicity to daphnia and

other aquatic invertebrates

EC50 - Daphnia magna (Water flea) - 89 mg/l - 24 h

Toxicity to algae IC50 - Desmodesmus subspicatus (green algae) - 48 mg/l - 72 h

Toxicity to bacteria - Pseudomonas putida - 56 mg/l - 17 h

## 12.2 Persistence and degradability

No data available

# 12.3 Bioaccumulative potential

No data available

## 12.4 Mobility in soil

No data available

# 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

## 12.6 Other adverse effects

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Harmful to aquatic life.

Sigma-Aldrich - 31448 Page 6 of 8

# 13. DISPOSAL CONSIDERATIONS

#### 13.1 Waste treatment methods

#### **Product**

Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.

## Contaminated packaging

Dispose of as unused product.

## 14. TRANSPORT INFORMATION

## DOT (US)

Not dangerous goods

#### **IMDG**

Not dangerous goods

### IATA

Not dangerous goods

# 15. REGULATORY INFORMATION

## **SARA 302 Components**

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

## **SARA 313 Components**

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

## SARA 311/312 Hazards

Acute Health Hazard

## **Massachusetts Right To Know Components**

	CAS-No.	Revision Date
Sodium metabisulphite	7681-57-4	2007-03-01

### Pennsylvania Right To Know Components

	CAS-No.	Revision Date
Sodium metabisulphite	7681-57-4	2007-03-01

## **New Jersey Right To Know Components**

	CAS-No.	Revision Date
Sodium metabisulphite	7681-57-4	2007-03-01

# California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

## 16. OTHER INFORMATION

## Full text of H-Statements referred to under sections 2 and 3.

Acute Tox. Acute toxicity

Aquatic Acute Acute aquatic toxicity
Eye Dam. Serious eye damage
H302 Harmful if swallowed.

H318 Causes serious eye damage.

H402 Harmful to aquatic life.

**HMIS Rating** 

Health hazard: 2 Chronic Health Hazard:

Sigma-Aldrich - 31448 Page 7 of 8

Flammability: 0 Physical Hazard 0

**NFPA** Rating

Health hazard: 2
Fire Hazard: 0
Reactivity Hazard: 0

# **Further information**

Copyright 2016 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

# **Preparation Information**

Sigma-Aldrich Corporation Product Safety – Americas Region 1-800-521-8956

Version: 4.10 Revision Date: 05/23/2016 Print Date: 05/28/2016

Sigma-Aldrich - 31448 Page 8 of 8