# **SAFETY DATA SHEET**

Version 4.11 Revision Date 08/25/2015 Print Date 05/28/2016

## 1. PRODUCT AND COMPANY IDENTIFICATION

1.1 Product identifiers

Product name : Sodium sulfide

Product Number : 407410
Brand : Aldrich
Index-No. : 016-009-00-8

CAS-No. : 1313-82-2

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich

3050 Spruce Street SAINT LOUIS MO 63103

USA

Telephone : +1 800-325-5832 Fax : +1 800-325-5052

1.4 Emergency telephone number

Emergency Phone # : (314) 776-6555

### 2. HAZARDS IDENTIFICATION

#### 2.1 Classification of the substance or mixture

## GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Self-heating substances and mixtures (Category 1), H251

Corrosive to metals (Category 1), H290 Acute toxicity, Oral (Category 3), H301 Acute toxicity, Dermal (Category 3), H311 Skin corrosion (Category 1B), H314 Serious eye damage (Category 1), H318 Acute aquatic toxicity (Category 1), H400

For the full text of the H-Statements mentioned in this Section, see Section 16.

## 2.2 GHS Label elements, including precautionary statements

Pictogram



Signal word Danger

Hazard statement(s)

H251 Self-heating: may catch fire. H290 May be corrosive to metals.

H301 + H311 Toxic if swallowed or in contact with skin Causes severe skin burns and eye damage.

H318 Causes serious eye damage. H400 Very toxic to aquatic life. Precautionary statement(s)

P234 Keep only in original container.
P235 + P410 Keep cool. Protect from sunlight.
P260 Do not breathe dust or mist.

P261 Week abig the group has fixed by a different part of the part

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye protection/ face

protection.

P301 + P310 + P330 IF SWALLOWED: Immediately call a POISON CENTER or doctor/

physician. Rinse mouth.

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing.

Rinse skin with water/shower.

P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for

breathing. Immediately call a POISON CENTER or doctor/ physician.

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. Immediately

call a POISON CENTER or doctor/ physician.

P362 Take off contaminated clothing and wash before reuse.

P390 Absorb spillage to prevent material damage.

P391 Collect spillage. P405 Store locked up.

P406 Store in corrosive resistant stainless steel container with a resistant inner

liner.

P407 Maintain air gap between stacks/ pallets.

P413 Store bulk masses greater than .? kg/ .? lbs at temperatures not

exceeding .? °C/ .? °F.

P420 Store away from other materials.

P501 Dispose of contents/ container to an approved waste disposal plant.

## 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

Contact with acids liberates toxic gas., Corrosive to the respiratory tract. Contact with acids liberates toxic gas., Corrosive to the respiratory tract.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

### 3.1 Substances

Formula : Na<sub>2</sub>S

 Molecular weight
 : 78.04 g/mol

 CAS-No.
 : 1313-82-2

 EC-No.
 : 215-211-5

 Index-No.
 : 016-009-00-8

**Hazardous components** 

Component	Classification	Concentration
Sodium sulphide		
	Self-heat. 1; Met. Corr. 1;	<= 100 %
	Acute Tox. 3; Skin Corr. 1B;	
	Eye Dam. 1; Aquatic Acute 1;	
	H251, H290, H301 + H311,	
	H314, H318, H400	

For the full text of the H-Statements mentioned in this Section, see Section 16.

# 4. FIRST AID MEASURES

### 4.1 Description of first aid measures

### **General advice**

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

Aldrich - 407410 Page 2 of 8

#### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

#### In case of skin contact

Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician.

## In case of eye contact

Continue rinsing eyes during transport to hospital. Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

#### If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

## 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

## 4.3 Indication of any immediate medical attention and special treatment needed

No data available

### 5. FIREFIGHTING MEASURES

# 5.1 Extinguishing media

## Suitable extinguishing media

Dry powder

## 5.2 Special hazards arising from the substance or mixture

Sulphur oxides, Sodium oxides

# 5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

#### 5.4 Further information

No data available

## 6. ACCIDENTAL RELEASE MEASURES

### 6.1 Personal precautions, protective equipment and emergency procedures

Wear respiratory protection. Avoid dust formation. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust.

For personal protection see section 8.

#### 6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

## 6.3 Methods and materials for containment and cleaning up

Sweep up and shovel. Contain spillage, and then collect with an electrically protected vacuum cleaner or by wetbrushing and place in container for disposal according to local regulations (see section 13). Do not flush with water. Keep in suitable, closed containers for disposal.

### 6.4 Reference to other sections

For disposal see section 13.

# 7. HANDLING AND STORAGE

### 7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Further processing of solid materials may result in the formation of combustible dusts. The potential for combustible dust formation should be taken into consideration before additional processing occurs.

Provide appropriate exhaust ventilation at places where dust is formed. Keep away from sources of ignition - No smoking.

For precautions see section 2.2.

### 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place.

Aldrich - 407410 Page 3 of 8

Never allow product to get in contact with water during storage. Do not store near acids.

Recommended storage temperature 2 - 8 °C

hygroscopic Air and light sensitive.

Storage class (TRGS 510): Pyrophoric and self-heating hazardous materials

## 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1 Control parameters

### Components with workplace control parameters

Contains no substances with occupational exposure limit values.

### 8.2 Exposure controls

## Appropriate engineering controls

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

# Personal protective equipment

## Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

## Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm Break through time: 480 min

Material tested:Dermatril® (KCL 740 / Aldrich Z677272, Size M)

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm Break through time: 480 min

Material tested: Dermatril® (KCL 740 / Aldrich Z677272, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method:

EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

# **Body Protection**

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

### Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

### Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

Aldrich - 407410 Page 4 of 8

## 9. PHYSICAL AND CHEMICAL PROPERTIES

## 9.1 Information on basic physical and chemical properties

a) Appearance Form: solid

Colour: yellow

b) Odour No data available

c) Odour Threshold No data available

d) pH No data available

e) Melting point/freezing

point

Melting point/range: 950 °C (1,742 °F) - lit.

f) Initial boiling point and

boiling range

No data available

g) Flash point Not applicable

h) Evaporation rate No data available

i) Flammability (solid, gas) No data available

j) Upper/lower flammability or explosive limits No data available

k) Vapour pressure No data availablel) Vapour density No data available

m) Relative density 1.86 g/mL at 25 °C (77 °F)

n) Water solubility 178 g/l at 20 °C (68 °F) - OECD Test Guideline 105 - soluble

o) Partition coefficient: n-

octanol/water

No data available

p) Auto-ignition temperature

The substance or mixture is classified as self heating with the category 1.

q) Decomposition

temperature

No data available

r) Viscosity No data availables) Explosive properties No data availablet) Oxidizing properties No data available

# 9.2 Other safety information

No data available

## 10. STABILITY AND REACTIVITY

## 10.1 Reactivity

No data available

### 10.2 Chemical stability

Stable under recommended storage conditions.

# 10.3 Possibility of hazardous reactions

No data available

# 10.4 Conditions to avoid

Air Avoid moisture. Light.

# 10.5 Incompatible materials

Oxidizing agents, Copper, ZincAcids

# 10.6 Hazardous decomposition products

Other decomposition products - No data available

Aldrich - 407410 Page 5 of 8

## 11. TOXICOLOGICAL INFORMATION

## 11.1 Information on toxicological effects

### **Acute toxicity**

LD50 Oral - Rat - 246 mg/kg (OECD Test Guideline 401)

Inhalation: No data available

Dermal: No data available

No data available

## Skin corrosion/irritation

No data available

# Serious eye damage/eye irritation

No data available

# Respiratory or skin sensitisation

No data available

## Germ cell mutagenicity

Mouse lymphocyte Result: negative

Mouse - male and female

Result: negative

## Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as

probable, possible or confirmed human carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a

carcinogen or potential carcinogen by ACGIH.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a

known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a

carcinogen or potential carcinogen by OSHA.

## Reproductive toxicity

No data available

No data available

# Specific target organ toxicity - single exposure

No data available

# Specific target organ toxicity - repeated exposure

No data available

### **Aspiration hazard**

No data available

#### **Additional Information**

RTECS: WE1905000

Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin., Cough, Shortness of breath, Headache, Nausea

## 12. ECOLOGICAL INFORMATION

### 12.1 Toxicity

Aldrich - 407410 Page 6 of 8

Toxicity to fish LC50 - Lepomis macrochirus (Bluegill sunfish) - 0.032 mg/l - 96 h

(OECD Test Guideline 203)

Toxicity to daphnia and

LC50 - Daphnia magna (Water flea) - 2.1 mg/l - 48 h

other aquatic invertebrates

Toxicity to algae Growth inhibition EC50 - Chlorella pyrenoidosa - 75 mg/l - 96 h

### 12.2 Persistence and degradability

No data available

## 12.3 Bioaccumulative potential

Does not significantly accumulate in organisms.

## 12.4 Mobility in soil

No data available

## 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

### 12.6 Other adverse effects

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Very toxic to aquatic life.

No data available

### 13. DISPOSAL CONSIDERATIONS

### 13.1 Waste treatment methods

#### **Product**

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.

## Contaminated packaging

Dispose of as unused product.

### 14. TRANSPORT INFORMATION

DOT (US)

UN number: 1385 Class: 4.2 Packing group: II

Proper shipping name: Sodium sulfide, anhydrous

Reportable Quantity (RQ):

Poison Inhalation Hazard: No

**IMDG** 

UN number: 1385 Class: 4.2 Packing group: II EMS-No: F-A, S-J

Proper shipping name: SODIUM SULPHIDE, ANHYDROUS

Marine pollutant:yes

**IATA** 

UN number: 1385 Class: 4.2 Packing group: II

Proper shipping name: Sodium sulphide, anhydrous

### 15. REGULATORY INFORMATION

## **SARA 302 Components**

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

#### **SARA 313 Components**

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

### SARA 311/312 Hazards

Aldrich - 407410 Page 7 of 8

Reactivity Hazard, Acute Health Hazard

# **Massachusetts Right To Know Components**

maccacinacente ingini i e i michi e empendine		
	CAS-No.	Revision Date
Sodium sulphide	1313-82-2	1993-04-24

## Pennsylvania Right To Know Components

Sodium sulphide CAS-No. Revision Date 1313-82-2 1993-04-24

**New Jersey Right To Know Components** 

Sodium sulphide CAS-No. Revision Date 1313-82-2 1993-04-24

# California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

#### 16. OTHER INFORMATION

### Full text of H-Statements referred to under sections 2 and 3.

Acute Tox. Acute toxicity

Aquatic Acute Acute aquatic toxicity
Eye Dam. Serious eye damage
H251 Self-heating: may catch fire.
H290 May be corrosive to metals.

H301 Toxic if swallowed.

H301 + H311 Toxic if swallowed or in contact with skin

H311 Toxic in contact with skin.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage. H400 Very toxic to aquatic life. Met. Corr. Corrosive to metals

## **HMIS Rating**

Health hazard: 3
Chronic Health Hazard:
Flammability: 3
Physical Hazard 2

# **NFPA Rating**

Health hazard: 3
Fire Hazard: 3
Reactivity Hazard: 3

### **Further information**

Copyright 2015 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

## **Preparation Information**

Sigma-Aldrich Corporation Product Safety – Americas Region 1-800-521-8956

Version: 4.11 Revision Date: 08/25/2015 Print Date: 05/28/2016

Aldrich - 407410 Page 8 of 8